


## Year 12 Algebra Excellence #4


1. Write  $\log_2 x + \log_8 x$  as a single log term.
2.  $2x^2 - 20x + k$  has one root two-thirds the size of the other. Find  $k$ .

3. A trapezium with a rectangular end and an area of  $32 \text{ cm}^2$  has dimensions as shown to the right, with the long non-parallel end twice the length of the right angle one.

Calculate  $x$ .



4. Find the fraction which becomes  $\frac{1}{2}$  when the denominator is increased by 5 and is becomes  $\frac{1}{3}$  when the numerator is decreased by 4.
5. Factorise fully:  $a^2 + ab + ac + bc$ .
6. Solve  $5^{2x} - 5^{x+1} + 4 = 0$
7. Where does the graph of  $\log_4 y = x$  cross the graph of  $\log_2 y = 3x + 1$ ?
8. Show the shaded area,  $A$ , under this parabola is given by  $A = 40x - 2.5x^3$



## Answers: Year 12 Algebra Excellence #4

1. Write  $\log_2 x + \log_8 x$  as a single log term.

If we let  $\log_8 x = k$  then we know that  $8^k = x$

$$\Rightarrow 8^k = (2^3)^k = 2^{3k} = x \text{ and rearranging that gives } \log_2 x = 3k = 3 \log_8 x$$

$$\Rightarrow \log_2 x + \log_8 x = \log_2 x + \frac{1}{3} \log_2 x = \frac{4}{3} \log_2 x = \log_2 x^{\frac{4}{3}}$$

$$\text{or } \log_2 x + \log_8 x = 3 \log_8 x + \log_8 x = 4 \log_8 x = \log_8 x^4$$

**Answer:  $4 \log_8 x$  or  $\log_8 x^4$  or  $\frac{4}{3} \log_2 x$  or  $\log_2 x^{\frac{4}{3}}$  (any acceptable)**

2.  $2x^2 - 20x + k$  has one root two-thirds the size of the other. Find  $k$ .

$$2x^2 - 20x + k = 2(x - 2r)(x - 3r)$$

(As we don't need to find  $r$  it is easier to do it this way to avoid fractions)

$$2x^2 - 20x + k = 2x^2 - 10rx + 12r^2$$

$$\text{Matching coefficients: } -20x = -10r, \text{ so } r = 2. \quad k = 12r^2 = 12 \times 2^2$$

**Answer:  $k = 48$**

You can do it via:  $2 \times \frac{-20 + \sqrt{20^2 - 4 \times 2 \times k}}{2 \times 2} = 3 \times \frac{-20 - \sqrt{20^2 - 4 \times 2 \times k}}{2 \times 2}$  but it's much harder


3. A trapezium with a rectangular end and an area of  $24 \text{ cm}^2$  has dimensions as shown to the right. Calculate  $x$ .

$$\text{By Pythagoras } (10 - k)^2 = ((2x)^2 - x^2)^2 \text{ so } 10 - k = \sqrt{3} x$$

$$\text{Area} = 24 = \frac{1}{2} (10 + k) \times x \text{ so } 48 = x (10 + 10 - \sqrt{3} x)$$

$$\sqrt{3} x^2 - 20x + 48 = 0 \Rightarrow x = 3.407 \text{ or } 8.144 \text{ (clearly wrong)}$$

**Answer:  $x = 3.407$**



4. Find the fraction which becomes  $\frac{1}{2}$  when the denominator is increased by 5 and is becomes  $\frac{1}{3}$  when the numerator is decreased by 4.

$$\text{If } \frac{x}{y} \text{ is our answer, we are told } \frac{x}{y+5} = \frac{1}{2} \text{ and } \frac{x-4}{y} = \frac{1}{3}$$

Rearranging the first gives  $2x = y + 5$  (multiply by both denominators)

Similarly for the second, we get  $3(x - 4) = y$

Substituting  $y = 3(x - 4)$  into the first equation gives:  $2x = 3(x - 4) + 5$

Solving gives  $x = 7$ . Putting that back into our first equations, we get  $y = 9$ .

**Answer =  $\frac{7}{9}$**

5. Factorise fully:  $a^2 + ab + ac + bc$

$$a^2 + ab + ca + cb = a(a + b) + c(a + b) = (a + c)(a + b).$$

**Answer:**  $(a + c)(a + b)$  or  $(a + b)(a + c)$ .

6. Solve  $5^{2x} - 5^{x+1} + 4 = 0$

$$\Rightarrow (5^x)^2 - 5 \times 5^x + 4 = 0 \quad \Rightarrow \text{of form: } x^2 - 5x + 4 = 0$$

$$\Rightarrow (5^x - 4)(5^x - 1) = 0$$

$$\Rightarrow 5^x - 4 = 0 \text{ or } 5^x - 1 = 0$$

$$\Rightarrow 5^x = 4, \text{ so } x = \log 4 \div \log 5 \text{ or } 5^x = 1, \text{ so } x = 0$$

**Answer:**  $x = 0$  or  $0.86135$

7. Where does the graph of  $\log_4 y = x$  cross the graph of  $\log_2 y = 3x + 1$ ?

$$\log_4 y = x \text{ is the same as } y = 4^x \text{ which is } y = 2^{2x}$$

$$\log_2 y = 3x + 1 \text{ is the same as } y = 2^{3x+1}$$

$$\text{So the lines cross when } y = y, \text{ so when } 2^{2x} = 2^{3x+1}$$

$$2x = 3x + 1, \text{ so } x = -1. \text{ Put this back into } y = 4^x \text{ gives } y = 4^{-1} = \frac{1}{4}$$

**Answer:** lines cross at  $(-1, 0.25)$

8. Show the shaded area, A, under this parabola is given by  $A = 40x - 2.5x^3$

$$\text{Formula for parabola is } y = 20 - kx^2 \quad \text{or} \quad y = k(x + 4)(x - 4)$$

$$\text{Passes through } (4, 0), \quad (0, 20) \text{ on graph}$$

$$\text{so } 0 = 20 - k \times 4^2 \quad 20 = k(0 + 4)(0 - 4)$$

$$k = 1.25$$

$$y = -1.25(x + 4)(x - 4)$$

$$\text{which is } y = -1.25x^2 + 20$$

$$A = \text{base} \times \text{height} = 2xy$$

$$\text{As } y = 20 - 1.25x^2 \text{ substituting this in gives } A = 2x(20 - 1.25x^2)$$

$$\Rightarrow A = 40x - 2.5x^3$$

